

RENT IT HERE.



866.2WARREN | WARRENCAT.COM/RENTAL



WHY RENT WITH WARREN CAT?

Equipment: The Warren CAT Rental Store has an extensive equipment inventory available for rent. We partner with customers ranging from heavy construction and mining to contractors and weekend warriors. Whether your project requires aerial lifts, air compressors, earth-moving machines, or large generators, we'll help you find the most effective solution. Any job. Any size. Any time.

People: Warren CAT employees are some of the most experienced and knowledgeable in the industry. We can answer any question or help with any special requests you have. At Warren CAT, we give you more than just equipment, we give you the expert help you need to get your job done.

Facilities: We have full-service locations across Oklahoma and Texas. That helps us provide fast, quality service with Cat® trained rental experts and service technicians providing support wherever you need it.



Capabilities: Any piece of equipment you need, we have it. Whether that's equipment, machines, or attachments, you can find it at one of our stores. Not sure what you need? No problem. Our experienced representatives can assist in analyzing your project applications to identify the work tools that will best fit your needs and find a solution to get the job done.

Technology: Increase efficiency with Trimble and SITECH. By adding Cat Grade Control, Earthworks, or other technological rental solutions you can reduce your operating costs and decrease costly mistakes.

Rent, Rent-to-own, lease, finance, purchase: You can choose from a large selection of new, rental and used equipment from Cat and other top manufacturers with competitive prices. We offer several options that fit your financial strategy. Need help with a deal? No problem, we can put together a solution that works best for you!

Benefits: When you rent equipment with the Warren CAT Rental Store, you benefit from the world-class support and service of our experienced team of rental service professionals. You also benefit from:

- An impressive inventory of low-hour, late model equipment expertly serviced and maintained
- Rental agreements with flexible daily, weekly, monthly and longer-term rates to fit your specific project requirements
- Easy, quick pick-up or fast delivery out to your jobsite location
- 24/7 online access to rental product information
- Cat Rental Store App customer portal for quick access to your rental equipment
- Service and support dedicated to total customer satisfaction, from expert equipment recommendations to full-service maintenance and emergency repairs



DOWNLOAD THE CAT RENTAL STORE APP



Locate the
Nearest Branch



View Equipment
on Rent



Extend or
End Rentals



View Rental
Rates



View Contracts
and Invoices



Request On-Site
Service



Transfer Equipment
Between Jobsites



Request
a Quote

SCAN HERE




TABLE OF CONTENTS

- 6** Skid Steer Loaders
Skid Steer & CTL Work Tools
- 7** Compact Track Loaders
Backhoe & Industrial Loaders
Backhoe Loader Work Tools
- 8** Telehandlers
Telehandler Work Tools
Hydraulic Excavators
- 9** Hydraulic Excavators
Hydraulic Excavator Hammers
- 10** Wheel Loaders
Track Type Tractors
Track Type Loaders
- 11** Motor Graders
Articulated Trucks
Scrapers
Road Reclaimers
- 12** Vibratory Soil Compactors
Asphalt Compactors
Pneumatic Compactors
Pavers
- 13** Rock Crushers & Conveyors
Screening Plants
Water Trucks, Wagons & Towers
Dump Trucks (On-Highway)
Trailers
- 14** Scissor Lifts
Boom Lifts
- 15** Compaction Equipment
Concrete Equipment
Mini Skid Steers
Vacuum & Hydro Excavation
Trenchers
- 16** Sweepers & Brooms
Breakers
Welders
Brush Chippers
- 17** Light Towers
Air Compressors & Dryers
Heat / Temp Control
- 18** Diesel Generators
Natural Gas Generators
Natural Gas Turbine Generators



SKID STEER LOADERS



MODEL	HP	OPERATING WEIGHT (LB)	OPERATING CAPACITY	HYDRAULIC
226	67	5,849	1,550	Std. Flow
236	74	6,567	1,800	Std. Flow
242	74	7,138	2,200	Std. Flow
246	74	7,478	2,200	Std. / High
262	74	8,296	2,700	Std. / High
272	98	9,133	3,450	Std. / High

SKID STEER & CTL WORK TOOLS



MODEL	DESCRIPTION	HYDRAULIC REQ.
SSL BKT	Bucket, Edge or Teeth (60" 66" 72" 78" 84")	Std. Flow
SSL BKTROK	Multi-Purpose Bucket 78" 84"	Std. Flow
SSL BKTG	Grapple Bucket 72"78"	Std. Flow
SSL FRK	Forks, 42" or 48"	Std. Flow
SSL SPEARR	Hay Spear Round Bale	Std. Flow
SSL SPEARS	Hay Spear Square Bale	Std. Flow
SSL FRKG72	Grapple Fork	Std. Flow
SSL RAKE-L	Landscape Rake	Std. Flow
SSL RAKE-P	Harley / Bradco Rake (elec w/t)	Std. Flow
SSL RAKEBR	Brush Rake	Std. Flow
SSL RAKG	Grapple Rake, 72" or 84"	Std. Flow
SSL AUGER	Auger, A19	Std. Flow
SSL BIT	Auger Bit 6-12" (Dirt)	Std. Flow
SSL BIT	Auger Bit 18-36" (Dirt)	Std. Flow
SSL BIT	Auger Bit 48" (Dirt)	Std. Flow
SSL BIT	Auger Bit 6-12" (Rock)	Std. Flow
SSL BIT	Auger Bit 18-24" (Rock)	Std. Flow
SSL EXT	Auger Bit Extension 12-24"	Std. Flow
SSL BLADE	Angle Blade	Std. Flow
SSL BLADE	6-Way Angle Blade	Std. Flow
SSL ARM	Material Handling Arm	Std. Flow
SSL SODROL	Sod Roller 4"	Std. Flow
SSL GRUB	Grubber	Std. Flow
SSL TRENCH	Trencher (T6, T9, T15)	Std. Flow
SSL TILLER	Landscape Tiller	Std. Flow
SSL SHEAR	Tree Shear 14"	Std. Flow
SSL SHEAR	Metal Shear	Std. Flow
SSL MOWER	Mower	Std. High
SSL STUMP	Stump Grinder	High Flow
SSL POST	T-Post Driver	Std. Flow
SSL BROOMA	Angle Broom BA18	Std. Flow
SSL BROOMP	Pickup Broom BP18B	Std. Flow
SSL COMPAC	Vibratory Roller	Std. Flow
H55, H63, H65	Hammer (H55, H63, H65)	Std. Flow
SSL PLANER	Planer 14"	High Flow
SSL PLANER	Planer 18"	High Flow
SSL PLANER	Planer 24"	High Flow
SSL PLANER	Planer 39"	High Flow
SSL MULCH	Mulcher 65"	Std. High
SSL MULCHD	Disk Mulcher	Std. High
SSL MULCH	Mulcher 85"	High Flow

COMPACT TRACK LOADERS



MODEL	HP	OPERATING WEIGHT (LB)	OPERATING CAPACITY	HYDRAULIC
239	67	7,434	2,185	Std. Flow
249	67	7,831	2,485	Std. Flow
259	74	8,987	2,870	Std. / High
279	74	10,095	3,170	Std. / High
289	74	10,688	4,130	Std. / High
299	98	11,464	4,970	Std. / High
299 XHPM	110	12,764	6,200	High Flow

BACKHOE & INDUSTRIAL LOADERS



MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
415 IL	68	14,035	Box Blade
415	68	17,374	17' 11"
416	88	18,430	17' 11"
420	93	20,092	17' 11"
420 IT	93	20,791	17' 11"
430	108	20,393	19' 6"
430 IT	108	21,092	19' 6"

* IT= Integrated Tool Carrier; IL=Industrial Loader

BACKHOE LOADER WORK TOOLS



MODEL	DESCRIPTION
415/416/420 BKT	Bucket 12 - 16" (Add)
415/416/420 BKT	Bucket 18 - 30" (Add)
415/416/420 BKT	Bucket 36 - 60" (Add)
416/420 FRK	Backhoe Forks 54"
416/420 FRK	Forks (Flip Over) (Add)
416/420 WHEEL	Compaction Wheel (Add)
416/420 HAMR	Hammer (H90, H95) (Add)

TELEHANDLERS



MODEL	HP	OPERATING WEIGHT (LB)	RATED LIFT CAPACITY	LIFT HEIGHT (FT)
TH255	74	11,000	5,500	18' 4"
TL642	100	22,002	6,500	42'
JLG 8042	110	27,100	8,000	41' 11"
TL943	111	25,750	9,000	43'
JLG 10054	110	28,200	10,000	53' 2"
TL1055	142	31,879	10,000	54' 9"
TL 1255	142	34,361	12,000	54' 6"
GENIE GTH1256	134	36,600	12,000	56"
JLG 1644	134	33,660	15,650	43' 7"

TELEHANDLER WORK TOOLS



MODEL	DESCRIPTION	HYDRAULIC REQ.
SSL BKT	Bucket, Edge or Teeth (60" 66" 72" 78" 84")	Std. Flow
SSL BKTROK	Multi-Purpose Bucket 78" 84"	Std. Flow
SSL BKTG	Grapple Bucket 72"78"	Std. Flow
SSL FRK	Forks, 42" or 48"	Std. Flow
SSL SPEARR	Hay Spear Round Bale	Std. Flow
SSL SPEARS	Hay Spear Square Bale	Std. Flow
SSL FRKG72	Grapple Fork	Std. Flow
SSL RAKE-L	Landscape Rake	Std. Flow
SSL RAKE-P	Harley / Bradco Rake (elec w/t)	Std. Flow
SSL RAKEBR	Brush Rake	Std. Flow
SSL RAKG	Grapple Rake, 72" or 84"	Std. Flow
SSL AUGER	Auger, A19	Std. Flow
SSL BIT	Auger Bit 6-12" (Dirt)	Std. Flow

HYDRAULIC EXCAVATORS



MINI EXCAVATORS

MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
300	13	2,061	5' 7"
301	19.2	4,063	8' 2"
303	23.5	7,204	9' 9"
303.5	23.5	8,209	10' 5"
304	40.2	8,996	11' 3"
305	40.2	11,433	12'
308	70.3	20,678	15' 3"

HYDRAULIC EXCAVATORS (CONT'D)



MINI EXCAVATORS

MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
302	21	4,987	8' 4"
306	60	15,766	13' 5"
309	70	21,091	15' 2"
310	70	22,451	17'

SMALL EXCAVATORS

MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
313	92	33,080	19' 8"
315	97	37,794	19' 6"
316	117	39,029	20'
317	130	40,200	21'
318	117	42,340	20'

MEDIUM EXCAVATORS

MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
320	162	50,265	22' 1"
323	162	56,200	22' 1"
325	172	49,604	22'
326	201	57,309	22' 4"
330	273	68,100	23' 8"
330 Longreach	239	69,902	48' 5"
335	200	83,820	22' 11"

LARGE EXCAVATORS

MODEL	HP	OPERATING WEIGHT (LB)	DIG DEPTH (FT & IN)
336	311	81,900	26' 11"
340	346	83,100	27' 1"
349	417	107,145	25' 2"
350	413	105,100	26' 11"
352	443	111,300	26' 11"
374	484	158,200	28' 1"

HYDRAULIC EXCAVATOR HAMMERS



MODEL	HAMMER (FT-LB)
301-302 Hammer	400
303-305 Hammer	800
308 Hammer	1500
312 - 315 Hammer	3000
316 - 318 Hammer	3000
320 - 330 Hammer	3500
336 - 340 Hammer	6000
349 - 352 Hammer	12000

WHEEL LOADERS



MODEL	HP	OPERATING WEIGHT (LB)	BUCKET CAPACITY (CYD)
903	42	9,414	.8 to 1.3
906	73	12,346	1.0 to 2.0
908	73	14,032	1.0 to 2.0
914	100	19,315	1.7 to 2.5
926	155	28,535	2.7 to 3.8
930	170	31,382	2.7 to 3.8
938	190	35,778	3.5 to 3.8
950	250	42,357	4.2 to 5.5
962	271	44,591	4.2 to 5.5
966	276	51,176	5.25 to 5.5
972	303	54,871	5.25 to 5.5
980	392	66,337	7 to 7.75
982	404	78,264	6.25 to 22.5
988	541	112,574	6.2 to 17

TRACK TYPE TRACTORS



MODEL	HP	OPERATING WEIGHT (LB)
D1/D3K	80	17,465
D2/D4K	92	18,007
D3/D5K	104	20,313
D4/D6K	130	29,258
D6N	166	36,943
D5 PAT/D6N VPAT	166	38,943
D6	215	48,500
D6 PAT	215	49,030
D6T LGP PAT	215	51,875
D7	238	57,441
D8	354	87,600

TRACK TYPE LOADERS



MODEL	HP	OPERATING WEIGHT (LB)	BUCKET CAPACITY (CYD)
963	193	44,771	3.7

MOTOR GRADERS



MODEL	HP	OPERATING WEIGHT (LB)
120M	145	39,892
120M AWD	153	41,859
12M	173	42,383
12M AWD	179	44,614
140M	193	43,683
140M AWD	202	45,652
160M AWD	213	43,464
14M	259	53,738

ARTICULATED TRUCKS



MODEL	HP	OPERATING WEIGHT (LB)	PAYLOAD CAPACITY (TONS)
730	370	52,690	31
745	504	73,553	45.2

SCRAPERS



MODEL	HP	OPERATING WEIGHT (LB)	CAPACITY (CYD)
613	175	33,650	11
K13	202	41,820	11
615	265	56,450	17
623	407	88,061	23

ROAD RECLAIMERS



MODEL	HP	OPERATING WEIGHT (LB)	ROTOR
S200	375	42,000	14"
RM300	350	53,911	20"
RM300	350	53,911	20"
RM400	415	58,863	20"

VIBRATORY SOIL COMPACTORS



MODEL	HP	OPERATING WEIGHT (LB)	DRUM WIDTH	CENTRIFUGAL FORCE (LBS)
CS/CP34	74	11,000	50"	15,000
CS/CP 44	100	16,471	66"	29,900
CS/CP 56	157	25,707	84"	67,600

ASPHALT COMPACTORS



MODEL	HP	OPERATING WEIGHT (LB)	DRUM WIDTH
CB1.7	25	3,538	35"
CB2.7/CB24	36	6,003	47"
CC2.7	48	5,718	47"
CB4.0/CB34	48	8,157	51"
CB10	131	20,945	67"
CB13	142	27,557	79"
CB15/CB66	142	28,958	84"

PNEUMATIC COMPACTORS



MODEL	HP	OPERATING WEIGHT (LB)	ROLLING WIDTH
CW16	100	11,464	68"
CW34	130	22,050	82"

PAVERS



MODEL	CAPACITY (TON)	OPERATING WEIGHT (LB)	RANGE
AP655	1,433	40,560	8' - 20' 6"
AP1055	1,602	45,087	9' 10" - 25'
P385	2,000	19,500	8' - 15' 8"

ROCK CRUSHERS & CONVEYORS



MODEL	HP	OPERATING WEIGHT (LB)	DESCRIPTION	MISC.
TC-20	456	98,500	IRock Crusher	Setup Required
TC-15CC	415	95,000	IRock Crusher	Setup Required
M-8036	74	20,000	IRock Conveyor	Setup Required
M-10036	74	25,000	IRock Conveyor	Setup Required

SCREENING PLANTS



MODEL	HP	OPERATING WEIGHT (LB)	DESCRIPTION
TS516	129	77,175	5' x 16' IRock Scalper / Screening Plant
TS520	129	82,026	5' x 20' IRock Screening Plant

WATER TRUCKS, WAGONS & TOWERS



MODEL	TANK CAPACITY (GALL)	OPERATING WEIGHT (LB)	DESCRIPTION
WTR500	500	1,428	500 GAL Water Trailer
WT2000	2,000	26,000	Ford F75
WT4000	4,000	54,600	CAT 660S or PB
725 / 730WT	5,000 - 6,000	55,000	Niece /Premier Tank on 725/730
745WT	9,000	85,500	Premiere Tank on 745
Water Tower	12,000	22,000	Niece Water Tower

* See Rental Representative for On-Highway Truck Rental Requirements.

DUMP TRUCKS (ON-HIGHWAY)



MODEL	CAPACITY (CYD)	DESCRIPTION
DUMPTRK 6	6	Cat or PB Dump Truck
DUMPTRK 14	14 - 16	Cat or PB Dump Truck

* See Rental Representative for On-Highway Truck Rental Requirements.

TRAILERS



MODEL	LENGTH	OPERATING CAPACITY (LB)	BALL HITCH DIAMETER
T-5DT Tilt Deck	14'	6,000	2 5/16"
T-6DT	14'	6,000	2 5/16"
T-14DT Tilt Deck	16'	14,000	2 5/16"
T-14HD	16'	14,000	2 5/16"
T-16DT	16' Tilt - 4' Fixed	16,000	2 5/16"

* 3/4 ton vehicle or larger required for trailer rental.

SCISSOR LIFTS



MODEL	WEIGHT (LB)	CAPACITY
19 ft Electric Scissor Lift	3,302	500
19 ft Electric Scissor Lift - Micro	2,860	500
19 ft Electric Scissor Lift - Lightweight	1,985	650
20 ft Elect Vertical Mass Lift	2,513	350
26 ft Electric Scissor Lift	4,313	500
26 ft Electric Scissor Lift - Micro	4,190	500
32 ft Electric Scissor Lift - Narrow	5,185	500
32 ft Electric Scissor Lift - Wide	5,218 - 5,670	700 - 800
40 ft Electric Scissor Lift - Wide	6,871 - 7100	550 - 770
26 ft Rough Terrain Scissor Lift	7,149	1,500
32 ft Rough Terrain Scissor Lift	7,599	1,000
40 ft Rough Terrain Scissor Lift	10,392	800

BOOM LIFTS



MODEL	WEIGHT (LB)	CAPACITY	REACH
30 ft Electric Articulating Boom Lift	14,421 - 15,212	500 - 507	20' 2" - 21' 5"
34 ft Electric Articulating Boom Lift	11,415	500	40' 6"
40 ft Electric Articulating Boom Lift	14,900	500	22' 5"
45 ft Electric Articulating Boom Lift	12,600 - 16,300	500	25' 1"
45 ft Articulating Boom Lift	14,150 - 16,360	551 - 660	24' 9" - 25'
45 ft Telescoping Boom Lift	12,650 - 16,360	500 - 660	24' 9"
50 ft Towable Articulating Boom Lift	4,400	500	29' 2"
65 ft Articulating Boom Lift	16,600 - 22,690	500	36' 7" - 40' 9"
65 ft Telescopic Boom Lift	25,160	660	57' 1"
85 ft Articulating Boom Lift	39,500	660	74' 6"
85 ft Telescopic Boom Lift	36,888 - 39,500	660 - 750	68' 6" - 86'



COMPACTION EQUIPMENT



MODEL	DESCRIPTION	WIDTH (IN)	OPERATING WEIGHT (LB)
BVP 18/45	Plate Compactor	17.7	201
BT65	Rammer Compactor	11	150
BMP8500 (Bomag)	Trench Roller	24	3,583
RTX-SC2 (Wacker)	Trench Roller	32	3,300
WP1550	Plate Compactor	19.7	198
BS60 Rammer Compactor	Rammer Compactor	11	141

CONCRETE EQUIPMENT



MODEL	DESCRIPTION	CAPACITY (CU FT)	HP	POWER
Mixer M	Mortar Mixer	7	4.8	Gasoline
Mixer C	Concrete Mixer	5	4.8	Gasoline
Buggy CT	Concrete Buggy	16	11.7	Gasoline

MINI SKID STEERS



MODEL	DESCRIPTION	HP	OPERATING WEIGHT (LB)	POWER
Ditch Witch SK 1050	Mini Skid Steer	37	3,435	Diesel

VACUUM & HYDRO EXCAVATION



MODEL	CAPACITY (GAL)	DESCRIPTION
Ditch Witch HX30	500	Hydro Vacuum Excavator

TRENCHERS



MODEL	HP	DIG DEPTH (IN)	DESCRIPTION / CUTTING WIDTH (IN)
C24X	22	36	Walk-Behind 6"
RT45	42	52	Ride-On 6" - 12"

* RT45 available with backhoe attachments.

SWEEPERS & BROOMS



MODEL	DESCRIPTION	BROOM WIDTH (FT)	WATER SYSTEM (GAL)
DT74K	Cab Sweeper	8	170

BREAKERS



MODEL	DESCRIPTION	WEIGHT (LB)	REQUIRED AIR (CFM)
P60S BRKR	60 lb Breaker	73	76
P90S BRKR	90 lb Breaker	95	85

WELDERS



MODEL	DESCRIPTION	WEIGHT (LB)	AMP
WELDER	400 A Towable Welder	1,024	400

* 50' Welding Leads Included in Price - Purchase Price for Lost or Damaged Units Apply

BRUSH CHIPPERS



MODEL	DESCRIPTION	WEIGHT (LB)	HP
Chipper	6" Brush Chipper	1,800	25

LIGHT TOWERS



MODEL	RATING (kW)
LTA8WL	8
LTA8NLV	8
LTA8WV	8
LTA8WVLED	8
LTA8WV TDM	8
LTA8WVGLB	8
LTA15WV	15
LTA15WVLED	15
LTA20WV	20
LTA20WVGLB	20
RV PACKAGES	
LTA15WVRV	15
LTA20WVRV	20

AIR COMPRESSORS & DRYERS



TYPE	CFM	PSI
Small	185	100-150
Medium	400	100-200
Midrange	900	150
Large Low	1600 - 1800	100 - 200
Large High	900 - 1150	350 - 500
DRYERS		
400 CFM to > 3000 CFM		

HEAT / TEMP CONTROL



MODEL	CAPACITY (BTU)	DESCRIPTION
MAC6000	63,000	Glycol Heated Hose
SH-750	750,000	Flameless Heater
MH500	1,000,000	Maxiheater

DIESEL GENERATORS



PRIME POWER (kW)	kVa	VOLTAGE	PHASE
20	25	208 or 480	1/3
28	35	208 or 480	1/3
36	45	208 or 480	1/3
54	68	208 or 480	1/3
90	113	208 or 480	1/3
100	125	208 or 480	1/3
145	181	208 or 480	1/3
176	220	208 or 480	1/3
200	250	208 or 480	1/3
275	344	208 or 480	1/3
320	400	208 or 480	1/3
340	425	208 or 480	1/3
365	456	208 or 480	1/3
455	570	480	3
545	681	480	3
725	906	480	3
910	1,138	480	3
1825	2,281	480	3

NATURAL GAS GENERATORS



PRIME POWER	kVa	VOLTAGE	PHASE
135 kW	169	480	3
172 kW	215	480	3
400 kW	500	480	3
1,475 kW	2,944	480	3
G3512	1,350	480 - 600	3
G3520	3,520	13,800	3

NATURAL GAS TURBINE GENERATORS




MODEL	TYPE	PRIME POWER (MW)	kV
C1000	Dual Mode	1000 (kW)	1250 (kVa)
XQ5200	Solar T60	5.2	13.8
XQ5700	Solar T60	5.7	13.8

USED MACHINES AND POWER YOU CAN RELY ON.

With Cat® Used, you'll find great value and reliability. For generations, we have provided used equipment solutions that our customers rely on. In the most varied environments, and across industries, we help hard workers get more done at a lower price point with the help of Cat Used Equipment.

warrencat.com/used





TEXAS

ABILENE, TX*
3619 Loop 322

AMARILLO, TX*
1101 S. FM 1912

DALHART, TX*
12006 US 87

LUBBOCK, TX*
702 Slaton Rd. East

MIDLAND, TX*
3809 FM 1788

ODESSA, TX
2331 E. Interstate 20

SAN ANGELO, TX
1170 Loop 360 N.

WICHITA FALLS, TX
1909 Old Jacksboro Hwy.

OKLAHOMA

ARDMORE, OK*
655 Michelin Rd.

ENID, OK
5702 N. Hwy. 81

HUGO, OK
1106 N. 4270 Rd.

OKLAHOMA CITY, OK
15 N. Meridian Ave.

OKLAHOMA CITY, OK*
220 N. Sara Rd.

POTEAU, OK
1606 S. Broadway St.

TULSA, OK
3601 N. Garnett Rd.

TULSA, OK*
3641 S. Tacoma Ave.

**Represents Rental Power Locations.*



www.warrencat.com/rental